



Tahoe Direct-Vent Fireplaces

Premium Clean-Face Traditional & Contemporary Models

Tahoe DVCP36BP Premium Clean-Face Direct-Vent Fireplace with Rustic Brick Liner installed in a Custom Mantel with Custom Surround



White Mountain Hearth – The Pinnacle of Efficiency



Tahoe

■ With its large tempered glass window and a front that's uncluttered by louvers and trim, the Tahoe clean-face direct-vent fireplace looks like a site-built fireplace, while offering the convenience and efficiency of a modern gas system.

Create a traditional fireplace with logs, or a contemporary fireplace with decorative rocks.

Tahoe fireplaces are heater rated. Zone heating with a gas fireplace saves energy while warming the rooms you use most. The available blower helps circulate warm air more quickly.

Both the traditional and contemporary clean-face fireplaces are available in 32-inch, 36-inch, and 42-inch models.

Fireplace barrier screens are required for all direct-vent systems to protect you and your family from inadvertently touching the hot glass.

Made in U.S.A.

All Tahoe Fireplaces are built at our factory in Belleville, Illinois.

Venting

These direct-vent fireplaces draw in fresh outside air to support combustion and exhaust combustion by-products to the outdoors.

The Tahoe's vent-within-a-vent isolates the incoming fresh air from the exhaust, yet still requires just a single hole through the wall or roof.

Designed for in-wall installation, our Premium Clean-Face models require just 16 inches of depth. The venting connects to the top, but can run out the wall or up through the roof. Tile or other noncombustible material may be used to conceal the outer edge of the fireplace to create a true built-in system.

Premium Clean-Face Series

Premium Clean-Face Traditional Fireplaces

- **DVCP32BP – 24,000 Btu, 32-inch, 4 x 6 5/8 Top Vent only (View area – 684 sq. in.)**
- **DVCP36BP – 26,000 Btu, 36-inch, 4 x 6 5/8 Top Vent only (View area – 759 sq. in.)**
- **DVCP42BP – 28,500 Btu, 42-inch, 4 x 6 5/8 Top Vent only (View area – 981 sq. in.)**

The Premium Clean-Face Traditional Tahoe includes a tempered glass view window and a unique burner that delivers a rich flame pattern. The ceramic fiber log set is required (but sold separately). Each log is hand painted for stunning realism with detailed bark, knots, and charring.

Ceramic Fiber Liner options for Premium models include a traditional Aged Brick with smoky highlights, and an old-world Rustic Brick. Or choose the deep black polished porcelain-steel liner that reflects the flames for a luxurious effect.

The available lighting kit draws attention to the intricate details in the log set and brick liner – even when no fire is burning. You can enhance heat distribution with the optional variable-speed blower. Both the light and blower include dimmer controls.

Premium models are available in Millivolt and in Green Earth Preferred Intermittent Pilot.



DVCP36BP Premium Clean-Face Direct-Vent Traditional Fireplace with Aged Brick Liner Installed in a Custom Mantel with Custom Surround



Premium Clean-Face Series

DVCC36BP Premium Clean-Face Direct-Vent Fireplace with Black Porcelain Liner and Decorative Rock Set, Installed in a Custom Mantel with Custom Surround



Premium Clean-Face Contemporary Fireplaces

- **DVCC32BP** – 24,000 Btu, 32-inch, 4 x 6 5/8 Top Vent only (View area – 684 sq. in.)
- **DVCC36BP** – 26,000 Btu, 36-inch, 4 x 6 5/8 Top Vent only (View area – 759 sq. in.)
- **DVCC42BP** – 28,500 Btu, 42-inch, 4 x 6 5/8 Top Vent only (View area – 981 sq. in.)

The Premium Clean-Face Tahoe includes a tempered glass view window and a unique burner that delivers a rich flame pattern. The ceramic fiber rock set is required (but sold separately). Each rock piece is hand painted.

The contemporary fireplace includes a deep black polished porcelain-steel liner with added angles to enhance the reflected flames.

Create highlights on the glass media and porcelain liner with the optional lighting kit. And the option variable-speed blower helps circulate warm air throughout your living space. Both the kits include dimmer controls.

Premium models are available in Millivolt and in Green Earth Preferred Intermittent Pilot.



Options

Ignition Technologies

Tahoe Clean-Face Fireplaces are offered in Millivolt models (which feature a standing pilot) and in Intermittent Pilot models (which light with an electronic ignition). Millivolt systems are simple and reliable. They require no electric or battery back-up, however, the standing pilot does burn a small amount of gas even when the fireplace is not in use.

Intermittent Pilot models eliminate the standing pilot for even greater energy savings. IP requires 120V AC to operate on a daily basis, but can operate on battery backup during a power outage.

Both systems can provide heat during a power outage, but the optional electric blower will not operate until power is restored. Even without the blower, the heat generated by your fireplace will circulate by natural convection.

Controls

Take charge of your fireplace with a battery-operated remote control, thermostat remote, electric remote control, wall thermostats, or wall switch – available for Millivolt and IP.



FRBTP Programmable Remote Control



FRBTC Thermostat Remote Control



FRBC or FREC Remote Control



TRW Wall Thermostat



TMV Wall Thermostat



FWS Wall Switch

Accessories

Liners

For Premium Clean-Face Tahoe traditional fireplace models, choose a hand-painted ceramic fiber liner in Rustic Brick or Aged Brick. Or select a Black Porcelain liner to enhance the illusion of flame and depth.

All Premium Clean-Face Tahoe contemporary fireplace models include a Black Porcelain liner, which adds depth and enhances the flames.



Rustic Brick




Aged Brick




Black Porcelain

A fireplace barrier screen is required to prevent contact with the hot glass. Available in matte black.



*Fireplace Barrier Screen – Matte Black Only
(detail)*

Fireplace Dimensions (in inches)



	DVCP32BP / DVCC32BP	DVCP36BP / DVCC36BP	DVCP42BP / DVCC42BP
A	34	37	43
B	31	34	40
C	28 7/8	28 7/8	30 7/8
D	38 3/8	38 3/8	40 3/8
E	38 1/8	38 1/8	40 1/8
F	16	16	16
H	6 3/4	6 3/4	6 3/4
I	23 1/8	26 1/8	32 1/8
J	11 9/16	13 1/16	16 1/16
K	9 3/16	9 3/16	9 3/16

Warranty for All Models

All parts carry a 3-year limited warranty

All Remote Controls carry a 1-year limited warranty

Note: Empire is committed to continuous product improvement; specifications are subject to change without notice. Dimensions in this brochure are approximate; read and follow the framing dimensions in the owners manual supplied with your Empire product.

All direct-vent fireplaces manufactured after January 1, 2015, must be installed with a barrier screen to prevent accidental contact with hot glass. Depending on the fireplace model, the barrier screens are available separately or incorporated into decorative fronts. See Owner's Manual for details.

Refer to your Owner's Manual for complete installation and safety information.

Gas Inlet for All Models

Type of Gas (State on Order)	Natural or LP
Iron Pipe Size (N.P.T.)	1/2 inch

Empire Comfort Systems Inc., has manufactured safe, reliable gas-fired decorative appliances and heating systems since 1932. We take pride in our reputation for quality products, backed by the best sales, service, and distribution network in this industry. These fireplaces combine proven technologies with exceptional artistry and craftsmanship to enhance the ambiance of any home.

Member of the following industry associations:



This appliance is design-certified to the ANSI standard by:



SINCE 1932

Empire Comfort Systems Inc.
918 Freeburg Ave.
Belleville, IL 62220-2623
info@empirecomfort.com

WMH-00951 12/01/14

The Empire Comfort Systems and White Mountain Hearth names and logos are registered U.S. trademarks.